September 9th, 2020

2019 National Survey of Children's Health

Screener Frequencies

Child Age - Years

C_AGE_YEARS	Unweighted	%	Weighted	%
0	2,311	3.4%	3,517,119	4.8%
1	2,292	3.4%	3,210,142	4.4%
2	3,266	4.8%	4,029,024	5.5%
3	3,458	5.1%	4,034,235	5.5%
4	3,637	5.4%	4,342,607	5.9%
5	3,690	5.5%	4,344,277	5.9%
6	3,779	5.6%	4,014,252	5.5%
7	3,623	5.4%	3,830,866	5.2%
8	3,706	5.5%	3,896,457	5.3%
9	3,883	5.7%	4,096,834	5.6%
10	4,077	6.0%	4,288,505	5.9%
11	4,144	6.1%	4,426,820	6.1%
12	4,258	6.3%	4,175,770	5.7%
13	4,350	6.4%	4,148,610	5.7%
14	4,202	6.2%	4,141,521	5.7%
15	4,342	6.4%	4,173,790	5.7%
16	4,290	6.3%	4,242,624	5.8%
17	4,317	6.4%	4,224,793	5.8%

Special Health Care Needs Status of Child

C_CSHCN	Unweighted	%	Weighted	%
Special Health Care Needs	13,601	20.1%	13,653,874	18.7%
No Special Health Care Needs	54,024	79.9%	59,484,373	81.3%

Child Speak English

C_ENGLISH	Unweighted	%	Weighted	%
Logical skip	11,327	16.7%	14,790,521	20.2%
No valid response	1,634	2.4%	2,072,370	2.8%
Very well	51,170	75.7%	51,655,636	70.6%
Well	2,873	4.2%	3,679,212	5.0%
Not well	436	0.6%	686,989	0.9%
Not at all	185	0.3%	253,520	0.3%

Hispanic Origin of Child, Recode

C_HISPANIC_R	Unweighted	%	Weighted	%
Hispanic or Latino Origin	8,644	12.8%	18,588,196	25.4%
Not Hispanic or Latino Origin	58,981	87.2%	54,550,051	74.6%

Imputation Flag for C_HISPANIC_R

C_HISPANIC_R_IF	Unweighted	%	Weighted	%
Not imputed	67,065	99.2%	72,365,672	98.9%
Imputed	560	0.8%	772,575	1.1%

Child Needs or Uses Medication Currently

C_K2Q10	Unweighted	%	Weighted	%

No valid response	157	0.2%	227,195	0.3%
Yes	11,935	17.6%	12,454,803	17.0%
No	55,533	82.1%	60,456,249	82.7%

Child Medication Used or Needed for Health
Condition

C_K2Q11	Unweighted	%	Weighted	%
Logical skip	55,533	82.1%	60,456,249	82.7%
No valid response	270	0.4%	338,684	0.5%
Yes	10,482	15.5%	10,713,325	14.6%
No	1,340	2.0%	1,629,989	2.2%

Child Medication Currently for 12 Months

C_K2Q12	Unweighted	%	Weighted	%
Logical skip	56,873	84.1%	62,086,238	84.9%
No valid response	352	0.5%	412,164	0.6%
Yes	9,776	14.5%	9,815,078	13.4%
No	624	0.9%	824,768	1.1%

Child Needs or Uses More Medical Care than
Others

C_K2Q13	Unweighted	%	Weighted	%
No valid response	167	0.2%	216,856	0.3%
Yes	8,529	12.6%	8,778,360	12.0%
No	58,929	87.1%	64,143,031	87.7%

Child Medical Care Used or Needed for Health
Condition

C_K2Q14	Unweighted	%	Weighted	%
Logical skip	58,929	87.1%	64,143,031	87.7%
No valid response	203	0.3%	253,072	0.3%
Yes	7,356	10.9%	7,455,574	10.2%
No	1,137	1.7%	1,286,570	1.8%

Child Medical Care Currently for 12 Months

C_K2Q15	Unweighted	%	Weighted	%
Logical skip	60,066	88.8%	65,429,601	89.5%
No valid response	255	0.4%	314,127	0.4%
Yes	7,087	10.5%	7,120,629	9.7%
No	217	0.3%	273,890	0.4%

Child Limited Ability

C_K2Q16	Unweighted	%	Weighted	%
No valid response	148	0.2%	242,272	0.3%
Yes	3,755	5.6%	4,011,097	5.5%
No	63,722	94.2%	68,884,879	94.2%

Child Limited Ability from Health Condition

C_K2Q17	Unweighted	%	Weighted	%
Logical skip	63,722	94.2%	68,884,879	94.2%
No valid response	194	0.3%	294,676	0.4%
Yes	3,364	5.0%	3,516,380	4.8%
No	345	0.5%	442,313	0.6%

Child Limited Ability from Health Condition for 12 Months

C_K2Q18	Unweighted	%	Weighted	%
Logical skip	64,067	94.7%	69,327,191	94.8%
No valid response	215	0.3%	326,001	0.4%
Yes	3,279	4.8%	3,401,045	4.7%
No	64	0.1%	84,010	0.1%

Child Special Therapy

C_K2Q19	Unweighted	%	Weighted	%
No valid response	146	0.2%	211,997	0.3%
Yes	5,792	8.6%	6,189,020	8.5%
No	61,687	91.2%	66,737,231	91.2%

Child Special Therapy for Health Condition

C_K2Q20	Unweighted	%	Weighted	%
Logical skip	61,687	91.2%	66,737,231	91.2%
No valid response	187	0.3%	244,878	0.3%
Yes	3,883	5.7%	4,109,624	5.6%
No	1,868	2.8%	2,046,514	2.8%

Child Special Therapy for Health Condition for 12 Months

C_K2Q21	Unweighted	%	Weighted	%
Logical skip	63,555	94.0%	68,783,745	94.0%
No valid response	203	0.3%	270,070	0.4%
Yes	3,625	5.4%	3,848,672	5.3%
No	242	0.4%	235,760	0.3%

Child Needs Treatment for Emotion Develop Behave

C_K2Q22	Unweighted	%	Weighted	%
No valid response	167	0.2%	259,844	0.4%
Yes	6,916	10.2%	6,964,684	9.5%
No	60,542	89.5%	65,913,719	90.1%

Child Treatment for Chronic Emotion Develop Behave

C_K2Q23	Unweighted	%	Weighted	%
Logical skip	60,542	89.5%	65,913,719	90.1%

	Unweighted	%	Weighted	%
No valid response	219	0.3%	320,747	0.4%
Yes	6,215	9.2%	6,110,855	8.4%
No	649	1.0%	792,926	1.1%

Race of Child, Detailed

C_RACE_R	Unweighted	%	Weighted	%
White alone	53,052	78.5%	48,751,259	66.7%
Black or African American alone	5,080	7.5%	10,177,970	13.9%
American Indian or Alaska Native alone	688	1.0%	1,240,150	1.7%
Asian alone	3,249	4.8%	3,578,659	4.9%
Native Hawaiian and Other Pacific Islander alone	491	0.7%	1,005,216	1.4%
Two or More Races	5,065	7.5%	8,384,992	11.5%

Imputation Flag for C_RACE_R

C_RACE_R_IF	Unweighted	%	Weighted	%
Not imputed	66,975	99.0%	71,890,371	98.3%
Imputed	650	1.0%	1,247,876	1.7%

Child Sex

C_SEX	Unweighted	%	Weighted	%
Male	34,941	51.7%	37,398,957	51.1%
Female	32,684	48.3%	35,739,290	48.9%

Imputation Flag for C_SEX

C_SEX_IF	Unweighted	%	Weighted	%
Not imputed	67,498	99.8%	73,001,026	99.8%
Imputed	127	0.2%	137,221	0.2%

Core Based Statistical Area Status

CBSAFP_YN	Unweighted	%	Weighted	%
Suppressed for confidentiality	38,653	57.2%	38,754,870	53.0%
Located within a CBSA	26,751	39.6%	32,338,785	44.2%
Located outside a CBSA	2,221	3.3%	2,044,592	2.8%

State FIPS Code

FIPSST	Unweighted	%	Weighted	%
Alabama	1,215	1.8%	1,087,113	1.5%
Alaska	1,356	2.0%	183,022	0.3%
Arizona	1,424	2.1%	1,638,551	2.2%
Arkansas	1,468	2.2%	701,077	1.0%
California	1,296	1.9%	8,960,741	12.3%
Colorado	1,243	1.8%	1,263,086	1.7%
Connecticut	1,289	1.9%	733,365	1.0%
Delaware	1,245	1.8%	202,321	0.3%
District of Columbia	1,191	1.8%	126,369	0.2%
Florida	1,322	2.0%	4,216,391	5.8%
Georgia	1,462	2.2%	2,498,444	3.4%

Hawaii	1,111	1.6%	301,548	0.4%
Idaho	1,508	2.2%	444,289	0.6%
Illinois	1,275	1.9%	2,851,360	3.9%
Indiana	1,353	2.0%	1,561,110	2.1%
Iowa	1,288	1.9%	729,779	1.0%
Kansas	1,315	1.9%	703,353	1.0%
Kentucky	1,349	2.0%	1,004,473	1.4%
Louisiana	1,426	2.1%	1,095,456	1.5%
Maine	1,213	1.8%	247,386	0.3%
Maryland	1,260	1.9%	1,335,211	1.8%
Massachusetts	1,257	1.9%	1,361,909	1.9%
Michigan	1,210	1.8%	2,157,039	2.9%
Minnesota	1,260	1.9%	1,298,698	1.8%
Mississippi	1,439	2.1%	703,496	1.0%
Missouri	1,458	2.2%	1,373,605	1.9%
Montana	1,386	2.0%	228,409	0.3%
Nebraska	1,360	2.0%	472,638	0.6%
Nevada	1,299	1.9%	687,761	0.9%
New Hampshire	1,362	2.0%	257,660	0.4%
New Jersey	1,273	1.9%	1,946,884	2.7%
New Mexico	1,430	2.1%	478,544	0.7%
New York	1,305	1.9%	4,041,449	5.5%
North Carolina	1,297	1.9%	2,291,790	3.1%
North Dakota	1,394	2.1%	174,306	0.2%
Ohio	1,425	2.1%	2,585,025	3.5%
Oklahoma	1,466	2.2%	953,641	1.3%
Oregon	1,339	2.0%	868,682	1.2%
Pennsylvania	1,300	1.9%	2,634,076	3.6%
Rhode Island	1,252	1.9%	203,309	0.3%
South Carolina	1,327	2.0%	1,101,345	1.5%
South Dakota	1,393	2.1%	213,040	0.3%
Tennessee	1,286	1.9%	1,506,945	2.1%
Texas	1,334	2.0%	7,383,080	10.1%
Utah	1,535	2.3%	928,840	1.3%
Vermont	1,192	1.8%	115,034	0.2%
Virginia	1,192	1.8%	1,864,820	2.5%
Washington	1,220	1.8%	1,657,928	2.3%
West Virginia	1,368	2.0%	361,346	0.5%
Wisconsin	1,241	1.8%	1,270,019	1.7%
Wyoming	1,416	2.1%	132,484	0.2%

Primary Household Language

HHLANGUAGE	Unweighted	%	Weighted	%
No valid response	527	0.8%	677,869	0.9%
English	62,524	92.5%	63,687,084	87.1%
Spanish	2,374	3.5%	5,751,751	7.9%
Other	2,200	3.3%	3,021,543	4.1%

Child Line Number

LINENUM	Unweighted	%	Weighted	%
1	36,196	53.5%	40,611,669	55.5%
2	21,794	32.2%	22,750,052	31.1%
3	7,418	11.0%	7,578,656	10.4%
4	2,217	3.3%	2,197,870	3.0%

Metropolitan Statistical Area Status

METRO_YN	Unweighted	%	Weighted	%
Suppressed for confidentiality	21,255	31.4%	8,899,872	12.2%
Metropolitan Statistical Area	38,493	56.9%	57,063,444	78.0%
Not Metropolitan Statistical Area	7,877	11.6%	7,174,931	9.8%

Metropolitan Principal City Status

MPC_YN	Unweighted	%	Weighted	%
Suppressed for confidentiality	17,127	25.3%	3,323,361	4.5%
Metropolitan Principal City	14,169	21.0%	22,422,931	30.7%
Not Metropolitan Principal City	36,329	53.7%	47,391,955	64.8%

Race of Child, Recode, AIAN included. Reported for AK, AZ, NM, MT, ND, OK, SD.

RACEAIAN	Unweighted	%	Weighted	%
Logical skip	57,776	85.4%	69,268,734	94.7%
White alone	7,924	11.7%	2,729,624	3.7%
Black or African American alone	238	0.4%	200,919	0.3%
American Indian or Alaska Native alone	352	0.5%	248,714	0.3%
Other	1,335	2.0%	690,256	0.9%

Race of Child, Recode, Asian included. Reported for CA, HI, MA, MD, MN, NJ, NV, NY, VA, WA.

RACEASIA	Unweighted	%	Weighted	%
Logical skip	55,152	81.6%	49,681,298	67.9%
White alone	8,301	12.3%	13,778,343	18.8%
Black or African American alone	948	1.4%	2,604,205	3.6%
Asian alone	1,479	2.2%	2,092,048	2.9%
Other	1,745	2.6%	4,982,353	6.8%

Race of Child, Recode

RACER	Unweighted	%	Weighted	%
White alone	53,052	78.5%	48,751,259	66.7%
Black or African American alone	5,080	7.5%	10,177,970	13.9%
Other	9,493	14.0%	14,209,017	19.4%

Sampling Stratum

STRATUM	Unweighted	%	Weighted	%

	Unweighted	%	Weighted	%
1	62,844	92.9%	60,099,491	82.2%
2A	4,781	7.1%	13,038,756	17.8%

The Conditions under Which Land or Buildings Are Held or Occupied

TENURE	Unweighted	%	Weighted	%
Owned by you or someone in this household with a mortgage or loan? Include home equity loans	48,191	71.3%	46,568,920	63.7%
Owned by you or someone in this household free and clear (without a mortgage or loan)?	6,608	9.8%	7,103,878	9.7%
Rented?	12,151	18.0%	18,722,425	25.6%
Occupied without payment of rent?	675	1.0%	743,024	1.0%

Number of Children in Household

TOTKIDS_R	Unweighted	%	Weighted	%
1	14,402	21.3%	17,137,255	23.4%
2	28,752	42.5%	30,430,152	41.6%
3	15,603	23.1%	16,719,656	22.9%
4+	8,868	13.1%	8,851,185	12.1%

Survey Year

YEAR	Unweighted	%	Weighted	%
2019	67,625	100.0%	73,138,247	100.0%